ELSEVIER

European Journal of Pharmacology 326 (1997) 273–275

ejp

Author index

Abdul-Ghani, A.-S., Attwell, P.J.E. and Bradford, H.F.
The protective effect of 2-chloroadenosine against the development of amygdala kindling and on amygdala-kindled seizures (326) 7
Advenier, C., see Magraner, J. (326) 211
Aizenman, E., see Scanlon, J.M. (326) 67
Albasanz, J.L., Ros, M. and Martín, M.
Characterization of metabotropic glutamate receptors in rat C6 glioma cells (326) 85
Amandi-Burgermeister, E., Tibes, U., Kaiser, B.M., Friebe, W.G. and Scheuer, W.V.
Suppression of cytokine synthesis, integrin expression and chronic inflammation by inhibitors of cytosolic phospholipase A_2 (326) 237
Anselmi, E., see Magraner, J. (326) 211
Attwell, P.J.E., see Abdul-Ghani, A.-S. (326) 7
Ausina, P., see Magraner, J. (326) 211

Barberá, M., see Higueras, J. (326) 175
Barrachina, M.D., see Magraner, J. (326) 211
Barton, C.L., see Hutson, P.H. (326) 127
Benedito, S., see Martínez, A.C. (326) 163
Ber, E., see Rupniak, N.M.J. (326) 201
Bernauer, W.
Concerning the effect of the K^+ channel blocking agent glibenclamide on ischaemic and reperfusion arrhythmias (326) 147
Bespalov, A. and Zvartau, E.
NMDA receptor antagonists prevent conditioned activation of intracranial self-stimulation in rats (326) 109
Beubler, E. and Schirgi-Degen, A.
Nitric oxide counteracts 5-hydroxytryptamine- and cholera toxin-induced fluid secretion and enhances the effect of oral rehydration solution (326) 223
Bouvier, M., see Rousseau, G. (326) 75
Bradford, H.F., see Abdul-Ghani, A.-S. (326) 7
Brunn, G., Hey, C., Wessler, I. and Racké, K.
Endogenous nitric oxide inhibits leukotriene B_4 release from rat alveolar macrophages (326) 53
Burkey, T.H., see Quock, R.M. (326) 101

Candenas, M.L., see Magraner, J. (326) 211
Carlson, E.J., see Rupniak, N.M.J. (326) 201
Cascieri, M.A., see Rupniak, N.M.J. (326) 201
Chidiac, P., see Rousseau, G. (326) 75
Cortijo, J., see Higueras, J. (326) 175
Cortijo, J., see Magraner, J. (326) 211
Costa, G., see Martínez, A.C. (326) 163
Crane, D.I., see Lewohl, J.M. (326) 265

Dahl, R., see Thirstrup, S. (326) 191
Da Silva, A., see Rousseau, G. (326) 75
Delpón, E., see Valenzuela, C. (326) 257
Dodd, P.R., see Lewohl, J.M. (326) 265
Duval, D., see Froissard, P. (326) 93

Ebendal, T., see Kobayashi, S. (326) 1

Ferreira, S.H., see Tonussi, C.R. (326) 61
Franqueza, L., see Valenzuela, C. (326) 257
Friebe, W.G., see Amandi-Burgermeister, E. (326) 237
Froissard, P., Monrocq, H. and Duval, D.
Role of glutathione metabolism in the glutamate-induced programmed cell death of neuronal-like PC12 cells (326) 93
Fukasawa, H., see Hotta, N. (326) 45

García-Sacristán, A., see Martínez, A.C. (326) 163
Gay, P., see Valenzuela, C. (326) 257
Gold, L.H., see Roberts, A.J. (326) 119
Gonzalez-Alvear, G.M., see Weatherspoon, J.K. (326) 133
Guc, M.O., see Iskit, A.B. (326) 183
Guilbault, N., see Rousseau, G. (326) 75

Hale, J.J., see Rupniak, N.M.J. (326) 201
Hamada, Y., see Hotta, N. (326) 45
Hara, T., see Hotta, N. (326) 45
Hargreaves, R.J., see Rupniak, N.M.J. (326) 201
Hätönen, T., see Mustanoja, S.M. (326) 229
Hattori, Y., see Tomita, F. (326) 157
Henry, J.L., see Park, P.D.S. (326) 139
Hey, C., see Brunn, G. (326) 53
Higueras, J., Sarriá, B., Ortiz, J.L., Cortijo, J., Maruenda, A., Barberá, M. and Morcillo, E.J.
Halothane inhibits endothelium-dependent relaxation elicited by acetylcholine in human isolated pulmonary arteries (326) 175
Hikosaka, O., see Horikawa, H.P.M. (326) 15
Hill, R.G., see Rupniak, N.M.J. (326) 201
Hitosugi, H., see Kamei, J. (326) 31
Horikawa, H.P.M., Nakazato, T. and Hikosaka, O.
Duration of catalepsy correlates with increased intrastriatal sulpiride (326) 15
Hosohata, K., see Quock, R.M. (326) 101
Hosohata, Y., see Quock, R.M. (326) 101
Hotta, N., Koh, N., Sakakibara, F., Nakamura, J., Hara, T., Hamada, Y., Fukasawa, H., Kakuta, H. and Sakamoto, N.
Effect of an aldose reductase inhibitor on abnormalities of electroretinogram and vascular factors in diabetic rats (326) 45
Hruby, V.J., see Quock, R.M. (326) 101
Huscroft, I., see Rupniak, N.M.J. (326) 201
Hutson, P.H. and Barton, C.L.
L-701,324, a glycine/NMDA receptor antagonist, blocks the increase of cortical dopamine metabolism by stress and DMCM (326) 127

Ilhan, M., see Iskit, A.B. (326) 183
Iskit, A.B., Guc, M.O. and Ilhan, M.
L-Canavanine and dexamethasone attenuate endotoxin-induced suppression of ischaemia-reperfusion arrhythmias (326) 183

Johansson-Alila, A., see Mustanoja, S.M. (326) 229
Jones, B.J., see Roberts, C. (326) 23

Kaiser, B.M., see Amandi-Burgermeister, E. (326) 237
Kakuta, H., see Hotta, N. (326) 45

Kamei, J., Kashiwazaki, T., Hitosugi, H. and Nagase, H.
The role of spinal δ_1-opioid receptors in inhibiting the formalin-induced nociceptive response in diabetic mice (326) 31
Kanno, M., see Tomita, F. (326) 157
Kashiwazaki, T., see Kamei, J. (326) 31
Kitabatake, A., see Tomita, F. (326) 157
Knapp, R.J., see Quock, R.M. (326) 101
Kobayashi, S., Ögren, S.O., Ebendal, T. and Olson, L.
Dopamine receptor antagonists block nerve growth factor-induced hyperactivity (326) 1
Koh, N., see Hotta, N. (326) 45
Kohya, T., see Tomita, F. (326) 157
Kowalski, J.
Effect of enkephalins and endorphins on cytotoxic activity of natural killer cells and macrophages/monocytes in mice (326) 251

Laakso, M.-L., see Mustanoja, S.M. (326) 229
Labadía, A., see Martínez, A.C. (326) 163
Lewohl, J.M., Crane, D.I. and Dodd, P.R.
Zolpidem binding sites on the $GABA_A$ receptor in brain from human cirrhotic and non-cirrhotic alcoholics (326) 265

MacCoss, M., see Rupniak, N.M.J. (326) 201
Macphail, E.M., see Nielsen, K.S. (326) 105
Magraner, J., Morcillo, E., Ausina, P., Pinto, F.M., Martín, J.D., Moreau, J., Anselmi, E., Barrachina, M.D., Cortijo, J., Advenier, C. and Candenas, M.L.
Effects of Mn^{2+} on the responses induced by different spasmogens in the oestrogen-primed rat uterus (326) 211
Martín, J.D., see Magraner, J. (326) 211
Martín, M., see Albasanz, J.L. (326) 85
Martínez, A.C., Novella, S., Raposo, R., Recio, P., Labadía, A., Costa, G., García-Sacristán, A. and Benedito, S.
Histamine receptors in isolated bovine oviductal arteries (326) 163
Maruenda, A., see Higueras, J. (326) 175
Mills, S.G., see Rupniak, N.M.J. (326) 201
Monrocq, H., see Froissard, P. (326) 93
Morcillo, E., see Magraner, J. (326) 211
Morcillo, E.J., see Higueras, J. (326) 175
Moreau, J., see Magraner, J. (326) 211
Mouillac, B., see Rousseau, G. (326) 75
Mustanoja, S.M., Hätönen, T., Johansson-Alila, A. and Laakso, M.-L.
Pineal melatonin in rats: suppression by the selective α_2-adrenoceptor agonist medetomidine (326) 229

Nagase, H., see Kamei, J. (326) 31
Nagase, H., see Quock, R.M. (326) 101
Nakamura, J., see Hotta, N. (326) 45
Nakazato, T., see Horikawa, H.P.M. (326) 15
Nawrath, H., see Wegener, J.W. (326) 37
Nielsen, K.S., Macphail, E.M. and Riedel, G.
Class I mGlu receptor antagonist 1-aminoindan-1,5-dicarboxylic acid blocks contextual but not cue conditioning in rats (326) 105
Nielsen-Kudsk, F., see Thirstrup, S. (326) 191
Novella, S., see Martínez, A.C. (326) 163

Ögren, S.O., see Kobayashi, S. (326) 1
Olson, L., see Kobayashi, S. (326) 1
Ortiz, J.L., see Higueras, J. (326) 175
Owen, S., see Rupniak, N.M.J. (326) 201

Park, P.D.S. and Henry, J.L.
Receptor subtypes mediating spinal cardiovascular effects of angiotensin II in rat using losartan and PD 123319 (326) 139
Pinto, F.M., see Magraner, J. (326) 211
Polis, I.Y., see Roberts, A.J. (326) 119
Porreca, F., see Quock, R.M. (326) 101
Price, G.W., see Roberts, C. (326) 23

Quock, R.M., Hosohata, Y., Knapp, R.J., Burkey, T.H., Hosohata, K., Zhang, X., Rice, K.C., Nagase, H., Hruby, V.J., Porreca, F., Roeske, W.R. and Yamamura, H.I.
Relative efficacies of δ-opioid receptor agonists at the cloned human δ-opioid receptor (326) 101

Racké, K., see Brunn, G. (326) 53
Raposo, R., see Martínez, A.C. (326) 163
Recio, P., see Martínez, A.C. (326) 163
Reynolds, I.J., see Scanlon, J.M. (326) 67
Rice, K.C., see Quock, R.M. (326) 101
Riedel, G., see Nielsen, K.S. (326) 105
Roberts, A.J., Polis, I.Y. and Gold, L.H.
Intravenous self-administration of heroin, cocaine, and the combination in Balb/c mice (326) 119
Roberts, C., Price, G.W. and Jones, B.J.
The role of $5\text{-}HT_{1B/1D}$ receptors in the modulation of 5-hydroxytryptamine levels in the frontal cortex of the conscious guinea pig (326) 23
Roeske, W.R., see Quock, R.M. (326) 101
Ros, M., see Albasanz, J.L. (326) 85
Rousseau, G., Guilbault, N., Da Silva, A., Mouillac, B., Chidiac, P. and Bouvier, M.
Influence of receptor density on the patterns of β_2-adrenoceptor desensitization (326) 75
Rupniak, N.M.J., Tattersall, F.D., Williams, A.R., Rycroft, W., Carlson, E.J., Cascieri, M.A., Sadowski, S., Ber, E., Hale, J.J., Mills, S.G., MacCoss, M., Seward, E., Huscroft, I., Owen, S., Swain, C.J., Hill, R.G. and Hargreaves, R.J.
In vitro and in vivo predictors of the anti-emetic activity of tachykinin NK_1 receptor antagonists (326) 201
Rycroft, W., see Rupniak, N.M.J. (326) 201

Sadowski, S., see Rupniak, N.M.J. (326) 201
Sakakibara, F., see Hotta, N. (326) 45
Sakamoto, N., see Hotta, N. (326) 45
Sarriá, B., see Higueras, J. (326) 175
Sasaki, M., see Tomita, F. (326) 157
Scanlon, J.M., Aizenman, E. and Reynolds, I.J.
Effects of pyrroloquinoline quinone on glutamate-induced production of reactive oxygen species in neurons (326) 67
Schechter, M.D.
Discrete versus cumulative dosing in dose–response discrimination studies (326) 113
Scheuer, W.V., see Amandi-Burgermeister, E. (326) 237
Schirgi-Degen, A., see Beubler, E. (326) 223
Seward, E., see Rupniak, N.M.J. (326) 201
Swain, C.J., see Rupniak, N.M.J. (326) 201

Tamargo, J., see Valenzuela, C. (326) 257
Tattersall, F.D., see Rupniak, N.M.J. (326) 201
Thirstrup, S., Nielsen-Kudsk, F. and Dahl, R.
In vitro studies on the interactions of β_2-adrenoceptor agonists, methylxanthines, Ca^{2+}-channel blockers, K^+-channel openers and other airway smooth muscle relaxants in isolated guinea-pig trachea (326) 191
Tibes, U., see Amandi-Burgermeister, E. (326) 237
Tomita, F., Hattori, Y., Kanno, M., Kohya, T., Sasaki, M. and Kitabatake, A.
Different regulation of myofilament Ca^{2+} sensitivity in β-escin-skinned cardiac and vascular smooth muscles (326) 157
Tonussi, C.R. and Ferreira, S.H.
Bradykinin-induced knee joint incapacitation involves bradykinin B_2 receptor mediated hyperalgesia and bradykinin B_1 receptor-mediated nociception (326) 61

Valenzuela, C., Delpón, E., Franqueza, L., Gay, P., Vicente, J. and Tamargo, J.
Comparative effects of nonsedating histamine H_1 receptor antagonists, ebastine and terfenadine, on human Kv1.5 channels (326) 257
Vicente, J., see Valenzuela, C. (326) 257

Weatherspoon, J.K., Gonzalez-Alvear, G.M. and Werling, L.L.
Regulation of [^{3}H]norepinephrine release from guinea pig hippocampus by σ_2 receptors (326) 133
Wegener, J.W. and Nawrath, H.
Cardiac effects of isoliquiritigenin (326) 37
Werling, L.L., see Weatherspoon, J.K. (326) 133
Wessler, I., see Brunn, G. (326) 53
Williams, A.R., see Rupniak, N.M.J. (326) 201

Yamamura, H.I., see Quock, R.M. (326) 101

Zhang, X., see Quock, R.M. (326) 101
Zvartau, E., see Bespalov, A. (326) 109